INDEX

Amin, M., the course of the phrenic nerve in the embryo, 215.
Anatomical note, 461.
Aortic arch, three examples of a right, Douglas G. Reid, M.B., Ch.B. Edin., B.A. Trin. Coll. Camb., 174.
Arteries, internal carotid, case of complete absence of both, A. G. Timbrell Fisher, M.B., Ch.B., M.R.C.S., L.R.C.P., 37.
—— renal and spermatic, note on the significance of certain anomalies of, J. S. B. Stopford, M.B., Ch.B., 81.
Artery, stapedial, note on the developmental history of the, A. G. Timbrell Fisher, M.B., Ch.B., M.R.C.S., L.R.C.P., 37.

Biedl, Professor A., Vienna, review of Innere Sekretion: ihre physiologische Grundlagen, 352.
Black, D. Davidson, B.A., M.B. (Tor.), two cases of cardiac malformation—more especially of the infundibular region, 274.
Bladder, extroversion of the, complicated by the presence of intestinal openings on the surface of the extroverted area, T. B. Johnston, M.B., Ch.B., 89.
Blaisdell, Frank E., sen., measurements on a human embryo 30 mm. long, 182.
Blakeway, H., M.S., B.Sc. Lond., F.R.C.S. Eng., investigations in the anatomy of the palate, 409.
Bone, thigh, characters of the English, Professor F. G. Parsons, 238.
Bones, note on two cases of well-marked, A. Francis Dixon, 219.

Cardiac malformation — two cases of — more especially of the infundibular region, D. Davidson Black, B.A., M.B. (Tor.), 274.
Coen, Bernard, M.B., communication as to the causation of large vascular grooves found on the inner aspect of the os parietale, 293.

Derry, Douglas E., M.B., Ch.B., parietal perforation accompanied with flattening of the skull in an ancient Egyptian, 417.
—— a new mylometer, 430.
Dickie, J. K. Milne, M.D., F.R.C.S. Edin., anatomy of the head end of a 20-mm. human embryo, 445.
Dickson, W. E. Carnegie, M.D., B.Sc., F.R.C.P.E., and John Fraser, M.D., M.Ch., F.R.C.S.E., a congenital abnormality of the heart and blood-vessels, 210.
Dixon, A. Francis, notes on two cases of well-marked suprasternal bones, 219.
Downes, Rupert M., M.D., M.S. (Melb.), the interrelationship of some trunk measurements and their relation to stature, 299.
Duodenum, a case of congenital atresia of the, accompanied by volvulus of the ileum, Reginald J. Gladstone, M.D. Aberd., F.R.C.S. Eng., 47.

Embryo, human, anatomy of the head end of a 20-mm., J. K. Milne Dickie, M.D., F.R.C.S. Edin., 445.
—— measurements on a human, 30 mm. long, 182.
Embryos, young human, observations upon, Professor J. T. Wilson, M.B., F.R.S., 315.

Fisher, A. G. Timbrell, M.B., Ch.B., M.R.C.S., L.R.C.P., case of complete absence of both internal carotid arteries, with a preliminary note on the developmental history of the stapedial artery, 37.
Flecker, Hugo, M.B., observations upon cases of absence of lacrimal bones and of existence of perilacrimal ossicles, 52.
Fore-limb skeleton, contribution to the embryology of the, N. Rutherford, M.B., F.R.C.S., 255.
Fraser, John, M.D., M.Ch., F.R.C.S.E., and W. E. Carnegie Dickson, M.D., B.Sc., F.R.C.P.E., a congenital abnormality of the heart and blood-vessels, 210.
Frazer, J. Ernest, second visceral arch and groove in the tubo-tympanic region, 391.

Genitalia, external, of the female, some points in the nomenclature of, Frederic Wood Jones, D.Sc., 73.
Gladstone, Reginald J., M.D. Aberd., F.R.C.S. Eng., case of congenital atresia of the duodenum, 47.
—— case of congenital atresia of the duodenum, accompanied by volvulus of the ileum, 47.

Heart, innervation of the nodal tissue of the mammalian, Jean Meiklejohn, M.B., Ch.B., 1.

INDEX

Amin, M., the course of the phrenic nerve in the embryo, 215.
Anatomical note, 461.
Aortic arch, three examples of a right, Douglas G. Reid, M.B., Ch.B. Edin., B.A. Trin. Coll. Camb., 174.
Arteries, internal carotid, case of complete absence of both, A. G. Timbrell Fisher, M.B., Ch.B., M.R.C.S., L.R.C.P., 37.
—— renal and spermatic, note on the significance of certain anomalies of, J. S. B. Stopford, M.B., Ch.B., 81.
Artery, stapedial, note on the developmental history of the, A. G. Timbrell Fisher, M.B., Ch.B., M.R.C.S., L.R.C.P., 37.

Biedl, Professor A., Vienna, review of Innere Sekretion: ihre physiologische Grundlagen, 352.
Black, D. Davidson, B.A., M.B. (Tor.), two cases of cardiac malformation—more especially of the infundibular region, 274.
Bladder, extroversion of the, complicated by the presence of intestinal openings on the surface of the extroverted area, T. B. Johnston, M.B., Ch.B., 89.
Blaisdell, Frank E., sen., measurements on a human embryo 30 mm. long, 182.
Blakeway, H., M.S., B.Sc. Lond., F.R.C.S. Eng., investigations in the anatomy of the palate, 409.
Bone, thigh, characters of the English, Professor F. G. Parsons, 238.
Bones, note on two cases of well-marked, A. Francis Dixon, 219.

Cardiac malformation — two cases of — more especially of the infundibular region, D. Davidson Black, B.A., M.B. (Tor.), 274.
Coen, Bernard, M.B., communication as to the causation of large vascular grooves found on the inner aspect of the os parietale, 293.

Derry, Douglas E., M.B., Ch.B., parietal perforation accompanied with flattening of the skull in an ancient Egyptian, 417.
—— a new mylometer, 430.
Dickie, J. K. Milne, M.D., F.R.C.S. Edin., anatomy of the head end of a 20-mm. human embryo, 445.
Dickson, W. E. Carnegie, M.D., B.Sc., F.R.C.P.E., and John Fraser, M.D., M.Ch., F.R.C.S.E., a congenital abnormality of the heart and blood-vessels, 210.
Dixon, A. Francis, notes on two cases of well-marked suprasternal bones, 219.
Downes, Rupert M., M.D., M.S. (Melb.), the interrelationship of some trunk measurements and their relation to stature, 299.
Duodenum, a case of congenital atresia of the, accompanied by volvulus of the ileum, Reginald J. Gladstone, M.D. Aberd., F.R.C.S. Eng., 47.

Embryo, human, anatomy of the head end of a 20-mm., J. K. Milne Dickie, M.D., F.R.C.S. Edin., 445.
—— measurements on a human, 30 mm. long, 182.
Embryos, young human, observations upon, Professor J. T. Wilson, M.B., F.R.S., 315.

Fisher, A. G. Timbrell, M.B., Ch.B., M.R.C.S., L.R.C.P., case of complete absence of both internal carotid arteries, with a preliminary note on the developmental history of the stapedial artery, 37.
Flecker, Hugo, M.B., observations upon cases of absence of lacrimal bones and of existence of perilacrimal ossicles, 52.
Fore-limb skeleton, contribution to the embryology of the, N. Rutherford, M.B., F.R.C.S., 255.
Fraser, John, M.D., M.Ch., F.R.C.S.E., and W. E. Carnegie Dickson, M.D., B.Sc., F.R.C.P.E., a congenital abnormality of the heart and blood-vessels, 210.
Frazer, J. Ernest, second visceral arch and groove in the tubo-tympanic region, 391.

Genitalia, external, of the female, some points in the nomenclature of, Frederic Wood Jones, D.Sc., 73.
Gladstone, Reginald J., M.D. Aberd., F.R.C.S. Eng., case of congenital atresia of the duodenum, 47.
—— case of congenital atresia of the duodenum, accompanied by volvulus of the ileum, 47.

Heart, innervation of the nodal tissue of the mammalian, Jean Meiklejohn, M.B., Ch.B., 1.

Heart and blood-vessels, a congenital abnormality of, W. E. Carnegie Dickson, M.D., B.Sc., F.R.C.P.E., and John Fraser, M.D., M.Ch., F.R.C.S.E., 210.

Intracardiac ganglia of the rat's heart, topography of the, Jean Meiklejohn, 378.

Jackson's membrane, genesis of: notes on the genito-mesenteric fold of peritoneum and the supra-adhesion foramen, Douglas G. Reid, M.B., Ch.B. Edin., M.A. Trin. Coll., 432.
Johnston, T. B., M.B., Ch.B., extroversion of the bladder, complicated by the presence of intestinal openings on the surface of the extroverted area, 89.
Jones, Frederic Wood, D.Sc., some points in the nomenclature of the external genitalia of the female, 73.

Lacrimal bones, cases of absence of, and of existence of perilacrimal ossicles, Hugo Flecker, M.B., 52.
Liver, the development of the lobus quadratus of, with special reference to an unusual anomaly of this lobe in the adult, Professor Peter Thompson, 222.

Meiklejohn, Jean, M.B., Ch.B., innervation of the nodal tissue of the mammalian heart, 1.
—— topography of the intracardiac ganglia of the rat's heart, 378.
Meyer, Dr A. W., spolia anatomica, 107.
Modelling clay, reconstruction in: a rapid method of plastic reconstruction from serial sections, David Waterston, M.A., M.D., 19.
Mylometer, a new, Douglas E. Derry, M.B., 430.

Nerve, case of the phrenic, in the embryo, M. Amin, 215.
Nutter, J. Appleton, B.A., M.D., C.M., congenital anomalies of the fifth lumbar vertebra and their consequences, 24.

Os parietale, communication as to the causation of large vascular grooves found on the inner aspect of, Bernard Coen, M.B., 293.

Palate, investigations in the anatomy of, H. Blakeway, M.S., B.Sc. Lond., F.R.C.S. Eng., 409.
Parietal perforation accompanied with flattening of the skull in an ancient Egyptian, Douglas E. Derry, M.B , Ch.B., 417.
Parsons, Professor F. G., characters of the English thigh-bone, 238.

Reid, Douglas G., M.B., Ch.B. Edin., B.A. Trin. Coll. Camb., three examples of a right aortic arch, 174.
—— genesis of Jackson's membrane: notes on the genito-mesenteric fold of peritoneum and the supra-adhesion foramen, 432.
Rischbieth, Harold, M.A., M.D., B.C. (Cantab.), F.R.C.S. (Eng.), anomaly of the inferior vena cava: duplication of the post-renal segment, 287.
Rutherford, N. C., M.B., F.R.C.S., contribution to the embryology of the fore-limb skeleton, 255.
Rutherford, W., a Swedenborg mystery: the rival skulls, 86.

Spolia anatomica, Dr A. W. Meyer, 107.
Stopford, J. S. B., M.B., Ch.B., note on the significance of certain anomalies of the renal and spermatic arteries, 81.
Swedenborg mystery: the rival skulls, W. Rutherford, 86.

Thompson, Professor Peter, development of the lobus quadratus of the liver, with special reference to an unusual anomaly of this lobe in the adult, 222.
Thompson, Ralph, Ch.M., F.R.C.S., figures relative to congenital abnormalities of the upper urinary tract, and some points in the surgical anatomy of the kidneys, ureter, and bladder, 280.
Trunk measurements and their relation to stature, the interrelationship of some, Rupert M. Downes, M.D., M.S. (Melb.), 299.

Urinary tract, figures relative to congenital abnormalities of the upper, and some points in the surgical anatomy of the kidneys, ureter, and bladder, Ralph Thompson, Ch.M., F.R.C.S., 280.

Vena cava, anomaly of the inferior: duplication of the post-renal segment, Harold Rischbieth, M.A., M.D., B.C. (Cantab.), F.R.C.S. (Eng.), 287.
Vertebra, fifth lumbar, congenital anomalies of, and their consequences, J. Appleton Nutter, B.A., M.D., C.M., 24.
Visceral arch, second, and groove in the tubo-tympanic region, J. Ernest Frazer, 391.

Waterston, David, M.A., M.D., reconstruction in modelling clay: a rapid method of plastic reconstruction from serial sections, 19.
Wilson, Professor J. T., M.B., F.R.S., observations upon young human embryos, 315.

PRINTED BY NEILL AND CO., LTD., EDINBURGH.